



***GTO Level Wind
&
GTO-CS Casting***

INSTRUCTION MANUAL


PENN FISHING TACKLE MFG. CO.

GTO INTRODUCTION

Designed with performance and durability in mind, the Penn 220 GTO and 220GTO-CS combines modern technology and looks with old-school functionality. Featuring a lightweight anodized-aluminum spool, the Penn 220 GTO and 220GTO-CS is a capable reel; ideal for bottom fishing, inshore trolling, or casting small lures and live baits (220GTO-CS). From Striped Bass anglers in the east, to Salmon anglers in the west, the Penn 220 GTO and Penn 220GTO-CS family of reels are ready for your next fishing adventure.

- **Stainless Steel Inner and Outer Frame Rings**
- **Stainless Steel Level Wind**
- **Lightweight Anodized Spool**
- **Manganese-Bronze Main Gear**
- **Stainless Steel Ball Bearings**

FEATURES



GTO FEATURES

Stainless Steel Level Wind. Penn's stainless steel, positive level wind device evenly spools line on reel for repeated, carefree fishing. Line pays out evenly when free spooling.

Stainless Steel Inner and Outer Rings. Adding structural integrity to the frame of the GTO Reels, the inner and outer rings are made from stainless steel for improved corrosion resistance.

Proven Penn Gearing. Precision machined gears create an incredibly strong gearing system built for years of service and performance.

Stainless Steel Ball Bearings. For unparalleled smoothness in casting, reeling and battling oversized gamefish, nothing beats precision stainless steel ball bearings. Penn GTO Series Reels feature, stainless steel ball bearings.

Anodized Aluminum Spool. The aluminum spool is lightweight and strong, and the anodized finish provides the ultimate in corrosion resistance for season after season of hard fishing.

Penn Handle. A counterbalanced, Soft-Grip handle found on the smaller models is comfortable for lengthy fish battles, while the larger models feature a power handle designed for cranking power. The Soft-Grip handle provides a secure grip, even when hands are wet and slimy.

Other Quality Features. Stainless steel reel stand and a molded-graphite, one-piece rod clamp combine for an extra measure of strength and security of joining reel to rod.



CARE AND LUBRICATION

Your Penn Reel is quality manufactured for maximum durability. Like any other precision-made piece of equipment, reasonable care will ensure peak performance and longevity.

After each fishing trip, the reel should be cleaned with a soap solution and fresh water, preferably warm, to remove any accumulated salt deposits.

When washing the reel, use caution not to use a driving force of water, since the water pressure will force salt deposits and/or sand into the reel. A very fine spray will help dissolve the salt on the external parts of the reel and rinse from the reel.

Dry excess moisture from the reel and then sparingly lubricate all exposed areas. A good practice is to spray a rag with a pressurized spray lubricant and wipe down the reels with the rag. Your reel should be stored in a cool, dry place. Do not store in a plastic bag, as condensation may develop.

Periodically examine your reel and tighten loose screws and fittings. Depending upon use, your reel should be overhauled at least once every season.

Frictional points in the reel should be frequently lubricated, and for best results use Penn lubricant. Penn's tubes of lube are the right formula, designed specifically for Penn Reels. Keep in mind, that a few drops of oil is usually sufficient

Major points for external lubrication include: Handle knob, eccentric lever, left and right side bearings, and clicker button.

OUT OF WARRANTY SERVICE

For non-warranty service to your Penn reel, simply return the reel with a brief note describing the service you want performed. Available on the Penn website (www.pennreels.com) is a repair form that we suggest is completed and returned with each reel for more efficient processing. Penn strives to complete all repairs in a timely manner.

Penn will not initiate service until a means of payment is arranged. Accepted means of payment include only the following credit cards: Mastercard, Visa, American Express, and Discover. COD, personal checks, or cash are not accepted.

Penn Fishing Tackle Mfg. Co., 3028 West Hunting Park Avenue,
Philadelphia, PA 19132-1121, U.S.A.

Telephone: (215) 229-9415

FAX: (215) 223-3017

www.pennreels.com

406-GTO 05

3/05

HOW TO ORDER PENN REEL PARTS

1. Call the Penn Parts Department at (215) 229-9415 between 8:30 am and 4:30 pm U.S. East Coast time to order your Penn Parts over the telephone. Accepted means of payment include only the following credit cards: Mastercard, Visa, American Express, and Discover. COD, personal checks, or cash are not accepted.
2. Penn Parts may also be ordered through Penn's local dealer network. Check your telephone directory for a Penn Dealer near you, or visit Penn's website at www.pennreels.com to locate a nearby dealer.

Penn Fishing Tackle Mfg. Co. reserves the right to discontinue models and make changes in design specifications without notice. Penn's policy of ongoing research may necessitate design changes for Product performance improvement.

www.PENNparts.com