



2009 Penn Product Catalog



TABLE OF CONTENTS

International Reels	2
Conventional Reels	14
Spinning Reels	25
Rods	33
Combos	42
Down Riggers	48
Reel Lube	49
About the Artist	49



Means this reel has been engineered to fish with braid.



Metal housings eliminate flex and maintain gear alignment.



Penn's patented 2 speed shifting system.



Keeps preset drag from being changed accidentally.



The most durable and smoothest drag surface available.



Integrated side plate design maintains gear alignment under extreme drag pressure.



Eliminates Rotor backplay for instant hook sets.



Proprietary graphite drag material designed exclusively for Penn®.



Worm drive oscillation produces an extremely even line lay on the spool.



Machine balanced rotor for a smooth retrieve with no wobble.



The perfect oscillation for an extremely even line lay.



Versa drag's stacked drag washers give multiple surface area's for maximum drag pressure.



WWW.PENNREELS.COM

INTERNATIONAL® V

TWO SPEED SERIES

The International® V-Series began on the drawing board of Penn's Engineering Department as a challenge to create and design the best and most innovative generation of Lever Drag reels on the market. With even more innovative features than ever before, the Penn International® V-Series reels have set the new standard. Penn continues to offer the most advanced and reliable fish-fighting reels in the world, and we have the records to prove it.



MADE IN U.S.A

INTERNATIONAL® V

TWO SPEED SERIES

Model	Mono Cap.	Braid Cap. Topshot	Bearings	Max Drag @ Strike	Gear Ratio High/Low	Line Retrieve (in)High/Low	Weight (oz)
16VS	1000yds/16lb	525yds/80lb 50yds/ 60lb	4BB	11	5.3:1 / 2:1	45/17	41
30VSW	900yds/30lb	700yds/100lb 50yds/ 80lb	4BB	23	3.8:1 / 1.6:1	37/15	58
50VSW	850yds/50lb	1050yds/150lb 50yds/ 100lb	4BB	28	3.1:1 / 1.3:1	34/14	75
70VS	600yds/80lb	1300yds/150lb 50yds/ 130lb	4BB	35	3.1:1 / 1.4:1	39/18	100
80VSW	950yds/80lb	1550yds/200lb 50yds/ 200lb	6BB	40	3:1 / 1.4:1	43/19	111

- Full Metal Body – one-piece machined aluminum frame and side-plates for the ultimate in gear alignment.
- Quick-Shift™ 2-speed retrieval system easily shifts into high or low gear.
- Push-To-Turn™ preset knob keeps the drag where it needs to be.
- Ratcheted lever prevents “drag creep” caused by hours of trolling and vibrations.
- Dura-Drag™ washers virtually eliminate hesitation, even under extreme drag settings.
- Braid-Ready to handle the strain that braided lines put on a reel.
- Stainless steel gearing system
- Four ball bearings (80VSW has six) for smooth performance in salt water.



INTERNATIONAL®
VSX (EXTREME) TWO SPEED SERIES

The International® VSX Series is designed to achieve extreme drag ranges while still maintaining free spool capabilities. With the market's push to superlines, Penn® engineered a reel that was built to fish them without any "tweaking" or after market parts. Quite simply this is Penn® engineering at its finest.



30VSX

MADE IN U.S.A

INTERNATIONAL®
VSX (EXTREME) TWO SPEED SERIES

Model	Mono Cap.	Braid Cap. Topshot	Bearings	Max Drag @ Strike	Gear Ratio High/Low	Line Retrieve (in)High/Low	Weight (oz)
16VSX	1000yds/16lb	525yds/80lb 50yds/60lb	4BB	28	4.25:1 / 1.7:1	36/15	41
30VSX	700yds/30lb	330yds/100lb 50yds/100lb	4BB	30	3.8:1 / 1.6:1	37/15	60
50VSX	550yds/50lb	510yds/150lb 50yds/130lb	4BB	36	3.1:1 / 1.3:1	34/14	76
130VSX	1000yds/130lb	1900yds/200lb 100yds/200lb	6BB	70	2.2:1 / 1.2:1	38/21	176

- Full Metal Body – one-piece machined aluminum frame and side-plates for the ultimate in gear alignment.
- Push-To-Turn™ preset knob keeps the drag where it needs to be.
- Ratcheted lever prevents “drag creep” caused by hours of trolling and vibrations.
- Dura-Drag™ washers virtually eliminate hesitation, even under extreme drag settings.
- Braid Ready to handle the strain that braided lines put on a reel.
- Four ball bearings for smooth performance in salt water.
- Unmatched cranking power for landing big fish.



50VSX



INTERNATIONAL® V
SINGLE SPEED SERIES

Penn International® Single Speed reels are constructed to the same standards as their two-speed siblings and, shy of a lower ratio gear, are just as capable of handling a heavy load. They are easy to use and their dependability is legendary. Throw the lever into the strike position, set the hook, and crank like mad.



MADE IN U.S.A

INTERNATIONAL® V
SINGLE SPEED SERIES

Model	Mono Cap.	Braid Cap. Topshot	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
30VW	900yds/30lb	700yds/100lb 50yds/80lb	4BB	23	3.8:1	37	57
50VW	850yds/50lb	1050yds/150lb 50yds/100lb	4BB	28	3.1:1	34	74

- Full Metal Body – one-piece machined aluminum frame and side-plates for the ultimate in gear alignment.
- Push-To-Turn™ preset knob keeps the drag where it needs to be.
- Ratcheted lever prevents “drag creep” caused by hours of trolling and vibrations.
- Dura-Drag™ washers virtually eliminate hesitation, even under extreme drag settings.
- Braid-Ready to handle the strain that braided lines put on a reel.
- Stainless steel gearing system
- Four ball bearings for smooth performance in salt water.



INTERNATIONAL® TORQUE

LEVER DRAG

From the start, the goal was to incorporate the benefits of a star drag reel with the functionality and fishability of a lever drag. Penn reached and exceeded that goal in designing a reel that delivers incredible free spool and casting ability while retaining all of the benefits of lever drag. The International® Torque™ Lever Drag is like no other lever drag reel on the market and includes a new patent pending drag system which offers many advantages.



TRQ300LD



MADE IN U.S.A

INTERNATIONAL® TORQUE

LEVER DRAG

- Full Metal Body – one-piece machined aluminum frame and side-plates for the ultimate in gear alignment.
- Versa-Drag™ systems allows multiple drag configurations for various conditions.
- HT-100™ drag washers
- Push-To-Turn™ preset knob keeps the drag where it needs to be.
- Ratcheted lever prevents “drag creep” caused by hours of trolling
- Braid Ready to handle the strain that braided lines put on a reel.



PATENT PENDING VERSA DRAG SYSTEM

The Torque Lever Drag is the first lever drag reel boasting five active drag surfaces. It incorporates a large diameter stacked drag cartridge that allows the angler to customize the drag washer arrangement to achieve a specific drag curve. The stacked drag system eliminates the “binding” felt in normal lever drag reels when they are set up to achieve higher drag settings. The design accomplishes this by multiplying the number of drag surfaces and therefore decreasing the amount of force exerted across the reel by the lever. This unique drag cartridge design also allows for complete disengagement of the drag when in free spool for incredible casting performance.



Heavy Drag
More than 20lbs
of drag at strike



Medium Drag
8-20lbs of
drag at strike



Low Drag
Less than 8lbs of
drag at strike



TRQ300LD

Model	Mono Cap.	Braid Cap. Top Shot	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
NEW TRQ100LD	420yds/12lb	375yds/30lb 50yds/20lb	4BB	27	6.2:1	32	28.8
TRQ300LD	360yds/30lb	360yds/80lb 50yds/40lb	4BB	32	6.4:1	48	41.4

INTERNATIONAL® TORQUE

STAR DRAG

The Torque star drag reels have unbelievable torque, cranking power and drag capabilities. The secret to its power is the patented ISP (Integrated Side Plate) design. With this patented design, main gear and pinion are unaffected by force and load so they maintain perfect alignment. The design also allows for an oversized, high speed main gear to deliver a unique combination of speed and power.



MADE IN U.S.A

INTERNATIONAL® TORQUE

STAR DRAG

- Full Metal Body – one-piece machined aluminum frame and side-plates for the ultimate in gear alignment.
- Integrated side plate design (ISP)
- Versa-Drag™ multiple drag stack arrangement.
- HT-100™ powered drag system
- Disengaging pinion for superior free spool.
- Braid Ready to handle the strain that braided lines put on a reel.



The ISP design integrates the right side components into one rigid assembly enabling the reel to achieve higher drag settings with fewer parts. The ISP design in the International Torque is a patented design



Model	Mono Cap.	Braid Cap. Top Shot	Bearings	Max Drag Ratio	Gear (in)	Line Retrieve (oz)	Weight
TRQ100	450yds/12lb	550yds/30lb 50yds/20lb	5BB/1RB	25	6.2:1	32	23
TRQ200	450yds/16lb	450yds/50lb 50yds/30lb	5BB/1RB	32	6.2:1	38	27
TRQ300	360yds/30lb	360yds/80lb 50yds/40lb	5BB/1RB	32	6.4:1	48	33

INTERNATIONAL®
BAITCAST

In true Penn tradition we built a series of reels which defined reliability and quality. We always think big fish, even on our smaller reels, and have designed them to handle anything that comes their way. Penn International® baitcast models are the most solidly constructed baitcast reels on the market.



975CSLD

MADE IN U.S.A

INTERNATIONAL®
BAITCAST

Model	Mono Cap.	Bearings	Max Drag	Gear Ratio	Line Retrieve (in)	Weight (oz)
965	240yds/15lb	2BB/1RB	10	4.7:1	19	13
975	340yds/15lb	2BB/1RB	12	4.5:1	20	77
975CS	340yds/15lb	2BB/1RB	12	4.5:1	20	15
975CSLD	300yds/15lb	5BB/1RB	10	4.4:1	20	17
975LD	300yds/15lb	5BB/1RB	10	4.4:1	20	18

* CS - Casting special (no Level -wind, better free spool)
* LD - Lever drag

- Full metal body, one piece machined aluminum frame
- HT-100™ powered drag system.
- Auto-engaging gears.
- Two aircraft-grade, shielded, stainless steel ball bearings (five in the lever drag models).
- Infinite anti-reverse roller bearing.



975CSLD



GRAPH-LITE®

LEVER DRAG

There are no comparisons when it comes to Penn's Graph-Lite lever drag reels. They are molded from lightweight, incredibly strong Penn graphite composite, which allows the frame to retain significantly greater strength, especially important when fighting large game fish. Penn Graph-Lite lever drag reels are an excellent choice for anglers looking for a lightweight, reliable, and incredibly smooth big game reel. Graph-Lite reels are available in single speed and two speed models.



- Lightweight graphite frame
- Push-button shift system on two-speed models
- Machined, anodized, aluminum spool
- Machine-cut stainless steel gears
- Wide range 120° drag quadrant
- Four aircraft-grade, shielded, stainless steel ball bearings for smooth operation.
- Stainless steel reel stand

MADE IN U.S.A



Model	Mono Cap.	Braid Topshot	Bearings	Max Drag @ Strike	Gear Ratio High/Low	Line Retrieve (in)High/Low	Weight (oz)
GLD20	800yds/20lb	500yds/80lb 50yds/60lb	4BB	14	3.8:1	20	37
GLD30	600yds/30lb	625yds/80lb 50yds/60lb	4BB	17	3.8:1	20	40
GLD20II	800yds/20lb	500yds/80lb 50yds/60lb	4BB	14	3.8:1 / 2:1	32/17	40
GLD30II	600yds/30lb	625yds/80lb 50yds/60lb	4BB	17	3.8:1 / 2:1	32/17	43
GLD50II	600yds/50lb	700yds/100lb 50yds/60lb	4BB	27	3.4:1 / 1:7	33/17	55

GLD30 II

METAL SENATOR™

Penn has successfully combined the toughness of the legendary Senator reel with the innovation and strength of the Penn Integrated Side Plate (ISP) design. Whether trolling, bottom fishing, jigging or casting large baits, the Senator is more than ready for the challenge. In response to the demand for a powerful, fast and light trolling reel, Penn engineers designed this series of Penn Metal Senator™ reels to be the answer.

- Machined aluminum frame and side-plates will not twist when fighting fish.
- Forged and machined aluminum spool.
- Patented ISP design ensure proper gear alignment under heavy loads.
- Stainless steel pinion gear and main gear.
- Double-dog multi stop anti-reverse.
- 3 stainless steel ball bearings.
- Oversized fighting handle and knob.



113MTL

Model	Mono Cap.	Braid Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
113MTL	475yds/30lb	825yds/30lbs	3BB	25	4.3:1	34	32

MADE IN U.S.A

SPECIAL SENATOR™

Combining the toughness of the legendary Penn Senator reel with higher gear ratios, the Penn Special Senator gives serious saltwater anglers the best of both worlds: power and speed. Penn Special Senators are ready for your next challenge, whether trolling, casting large baits, or bottom fishing. You have plenty of options with these reels, such as trolling wire on the 113HSP, or fishing at the rail of a tuna boat with the wide framed 113HLW or 114HLW.



- Precision-machined, stainless steel pinion gear.
- High-strength, manganese-bronze main gear.
- Stainless steel reinforced side plates.
- Multi-disc star drag system for smooth and consistent drag.
- Anodized aluminum spool
- Two shielded, stainless steel ball bearings.
- Convertible power handle.
- Heavy-duty clicker.
- Graphite rod clamp.

Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
NEW 112H2	375yds/30lb	2BB	11	4:1	29	22
NEW 113H2	475yds/30lb	2BB	20	3.3:1	26	30
NEW 113H2LH	475yds/30lb	2BB	20	3.3:1	26	30
NEW 113H2SP	575yds/30lb	2BB	20	3.3:1	26	35
NEW 113H2LW	600yds/30lb	2BB	20	3.3:1	26	31
114H	475yds/50lb	2BB	22	2.9:1	28	45
114HSP	525yds/50lb	2BB	22	2.9:1	28	48
114HLW	600yds/50lb	2BB	22	2.9:1	28	48

H- High Speed LH- Left Handed SP- Bronze Spool for Wire Line LW- Wide

SENATOR®

Tried and true, the Penn Senator has been an icon on the big game fishing scene, even before the original release of that famous shark movie, Jaws. The Penn Senator remains the most trusted, most powerful star drag reel on the market. In fact, most of the original Senator reels are still fishing, even after decades of service. Little wonder that Penn Senators have caught more IGFA big game world records than all other makes combined. With five sizes available, there is a Senator for everything from movie sized sharks, to grouper, cod, and rockfish.

- Precision-machined, stainless steel pinion gear.
- High-strength, manganese-bronze main gear.
- Stainless steel reinforced side plates.
- Anodized aluminum spool.
- Multi-disc star drag system for smooth and consistent drag.
- Two shielded, stainless steel ball bearings.
- Convertible power handle.
- Heavy-duty clicker.
- Graphite rod clamp.



Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
113	475yds/30lb	Bushings	19	2:1	16	27
114	475yds/50lb	Bushings	21	2.1:1	21	44
115L	675yds/50lb	2BB	23.5	2.5:1	28	57
116L	800yds/80lb	2BB	30	2:1	29	89

GT LEVER DRAG

Lever drag reels allow the angler to have greater control and accuracy when fighting a fish. The Penn GT Lever Drag reels capitalize on this added benefit in the two most popular sizes. From sturgeon fishing in the Northwest to Striper fishing in the Northeast, Penn GT Lever Drag reels have quickly proven themselves to be tough, durable, and capable reels. The Penn 320LD also features an ergonomically correct soft-grip power knob for increased power and feel, and a machined and anodized aluminum spool for increased strength and corrosion-resistance.



320LD

- Lightweight graphite frame and sideplates
- Anodized lightweight aluminum spool
- Stainless steel pinion
- Manganese-bronze main gear
- Stainless steel level wind
- Four aircraft-grade, shielded stainless steel ball bearings and HT-100™ powered drag system

MADE IN U.S.A

Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
320LD	300yds/20lb	4BB	10	4.3:1	25	21
330LD	325yds/30lb	4BB	17	3.7:1	27	27



GT LEVEL WIND

The Penn GT family of reels is one of the most recognizable reels on the market and perhaps the most capable all around Levelwind reel available. The GT reels are available in eight models capable of everything from light-duty inshore bottom fishing to heavy-duty halibut models. The Penn GTi family of reels is the standard reel of choice on charter and private boats throughout the country.



330GT2



320GT2LC



340GTi

- Lightweight one-piece graphite frame and side plates
- Black-anodized spool
- Stainless steel pinion
- Manganese-bronze main gear
- HT-100™ powered drag system



Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
NEW 310GT2	325yds/15lb	2BB	11	4.2:1	22	18
NEW 310GT2LC	325yds/15lb	2BB	11	4.2:1	22	19
320GT2	320yds/20lb	2BB	12	4.3:1	25	23
NEW 320GT2LC	320yds/20lb	2BB	12	4.3:1	25	23
321GT2	320yds/20lb	2BB	12	4.3:1	25	23
330GT2	350yds/30lb	2BB	16	3.6:1	26	27
340GTi	475yds/30lb	4BB	22	3.3:1	26	35
345GTi	600yds/30lb	4BB	22	3.3:1	26	35

LC - Line counter



GS PERFORMANCE

Penn Graphite Series (GS) Performance Reels are perfectly suited for a wide range of applications from long-distance casting to surf fishing; from kingfishing to throwing jigs at tuna. The revolutionary design of the GS cut-gears puts more cranking power in the hands of anglers when battling large Drum from the surf, and high-speed retrieve when chasing down smoker Kingfish. The Penn 525-Mag also features a rare-earth magnet casting control mechanism that allows the angler to easily adjust the magnetic resistance exerted on the spool. This feature is the preferred casting-control of long-distance casting champion competitors, and has quickly become a favorite of the surf-fishing market due to greater control of the spool, and free-spool capabilities.

- Four shielded stainless steel ball bearings (6+1 in 525MAG)
- HT-100 drag washers provide smooth drag under heavy loads.
- Versa-Drag™ washer systems allows multiple drag settings for various fishing conditions.
- Precision-machined stainless steel pinion.
- Manganese-bronze main gear.
- Lightweight, one-piece, open-top graphite frame.
- High-speed gear ratio



525MAG

MADE IN U.S.A



Model	Mono Cap.	Bearings	Max Drag	Gear Ratio	Line Retrieve (in)	Weight (oz)
525MAG	275yds/15lb	6BB/1RB	15	6:1	28	17
535	400yds/15lb	4BB	9.5	6:1	35	20
545	420yds/20lb	4BB	13	6:1	40	23
555	300yds/30lb	4BB	11	5.3:1	36	23

GTO LEVEL WIND

Combining quality construction and performance, with an aggressive price, the Penn GTO family of reels is the perfect choice for anglers targeting salmon, striped bass, summer flounder, snapper, and even sturgeon. The Penn GTO is a workhorse reel that will pull in fish all day.



220GTO

- Stainless steel inner-outer frame rings enhances rigidity to prevent "frame-flex".
- Lightweight machined anodized spool.
- Marine-grade alloy main gear improves durability and smoothness.
- HT-100 drag washers provide smooth drag under heavy loads.
- Two stainless steel shielded ball bearings.

Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
220GTO	320yds/20lb	2BB	12	4.3:1	25	23
230GTO	320yds/30lb	2BB	12	3.6:1	26	27



JIGMASTER

The Penn Jigmaster® is a favorite reel of live bait anglers because of its high speed retrieve and quick take-apart frame that is ideal for changing spools when fishing conditions change. It is the casting reel of choice for anglers fishing the albacore day boats on the West Coast, as well as kingfish anglers in the Southeast.



500L

- Quick take-apart frame makes it easy to change spools with different line weights.
- Black-anodized aluminum spool.
- Durable and lightweight composite side plates.
- Manganese-bronze main gear.
- Stainless steel pinion.
- Ht-100™ powered Drag System
- Counter-balanced handle with oversized fighting knob.
- Corrosion-resistant chrome-plated external parts.



Model	Mono Cap.	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
500L	275yds/30lb	15	4.3:1	27	22

LEVEL WIND

While the design and look date back to the early 1940s, the popularity of Penn Levelwind reels is unwavering. Penn level wind reels are simplistic, functional, and durable reels that are extremely capable. Recent product enhancements have fueled a growing resurgence in the popularity of this retro-styled series, while also leading to improved performance capabilities of these reels. Charter captains have taken notice and are fishing for larger and larger fish with the Penn level wind reels.



209M



209LC



- Lightweight composite side plates.
- Precision-machined stainless steel pinion.
- Brass main gear.
- Counter-balanced handle with oversized paddle knob.
- 209LC available with line counter.
- Stainless steel level wind



Model	Mono Cap.	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
9M	275yds/15lb	10	3.4:1	16	13
209M	320yds/20lb	10	3.2:1	19	19
209MLH	320yds/20lb	10	3.2:1	19	19
209LC	320yds/20lb	10	3.2:1	19	19
309M	475yds/30lb	15	2.8:1	20	23

LC- Line Counter LH- Left Hand

SARGUS

LOW PROFILE BAITCAST REEL

The Penn Sargus baitcast reel balances nicely on your favorite inshore rod. The Sargus was designed for incredibly smooth and accurate casting with its dual braking system. The dual braking system incorporates an internal centrifugal brake and an external magnetic brake which enables you to dial in on the perfect setting. The Sargus is equally at home in fresh and salt water and the large capacity spool provides enough line for the needs of inshore fishing.

- Corrosion resistant aluminum frame and gear cover.
- Machined and anodized aluminum spool.
- Machine cut brass main gear
- HT-100 powered drag system.
- Six shielded, stainless steel ball bearings
- Infinite anti-reverse roller bearing means sure hook sets.
- Dual centrifugal and magnetic braking system



Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
SAR64LP	200yds/12lb	6BB/1RB	11.5	6.4:1	27	9.5

PURSUIT

LOW PROFILE BAITCAST REEL

Penn is the leading name in saltwater reels and has proven again and again that its products will withstand the test of time. The Pursuit low profile is both stunning in appearance and impressive in performance. Once you fish the Pursuit low profile baitcast reel, it will become your favorite reel for all kinds of species, from trout and reds to blues and calicos.

- Corrosion resistant aluminum frame and gear cover.
- Machined and anodized aluminum spool.
- Machined-cut brass main gear.
- HT-100™ powered drag system
- Five shielded, stainless steel ball bearings for smooth effortless and accurate casting.
- Infinite anti-reverse roller bearing means sure hook sets.
- Internally adjustable centrifugal braking system



Model	Mono Cap.	Bearings	Max Drag @ Strike	Gear Ratio	Line Retrieve (in)	Weight (oz)
PUR64LP	200yds/12lb	5BB/1RB	11.5	6.4:1	27	9

AF

SPINNING REEL

Designed for the high-end angler fishing light-tackle, the Penn AF is creating a stir among the technical-angling population. While the look and feel are inherently different from traditional Penn Spinning Reels, the Penn AF holds true to Penn tradition of durability and performance and is ideal for fishing with superbraid lines. A full metal body combined with powerful worm drive oscillation, allows the AF to handle large fish on light lines, whether fishing the flats of Florida or the Caribbean, inshore waters of the east coast, or freshwater lakes and rivers.

- Eight stainless steel ball bearings.
- Infinite anti-reverse roller bearing.
- Sturdy full metal body keeps precise gear alignment under heavy loads.
- Powerful worm drive oscillation system handles large fish on light line.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.
- Friction trip ramp prevents premature bail trip when casting.
- Fail-free bail spring.
- Waterproof drag knob.
- Stainless steel main shaft.



Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
AF1000	130yds/6lb	8BB/1RB	5.1:1	24	10
AF2000	130yds/8lb	8BB/1RB	5.1:1	26	10
AF3000	160yds/10lb	8BB/1RB	5:1	28	11
AF4000	160yds/12lb	8BB/1RB	5:1	29	11.3

SLAMMER

SPINNING REEL

The Penn Slammer has been designed and engineered to handle the new era of super lines. With the goal of building the most durable spinning reel and knowing all the requirements of durability and power expected from such a product, Penn engineers designed a frame from a special high-strength aluminum-alloy that provides the housing for the powerful gearing system of the Penn Slammer. Realizing that anglers would be exerting greater drag pressures due to the growing popularity of braided line, it was decided that the main support shaft for the spool would need to be drastically oversized and triple-supported throughout the frame so that alignment and balance would not be compromised under the most intense pressure. The Penn Slammer has become the spinning reel of choice for saltwater fishing's most critical anglers – professional guides and charter captains.

- Sturdy full metal body and sideplate keep precise gear alignment under heavy loads.
- Oversized HT-100™ drag washer provides smooth stopping power.
- Triple-supported, oversized main shaft for uncompromising alignment.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.
- Five stainless steel ball bearings plus one infinite anti-reverse roller bearing. (760 has 6BB+1RB)
- Penn Leveline® wrap system.



The Slammer's oversize HT-100™ powered drag system is designed to deliver enormous power with smooth transitions.



Model	Mono Cap.	Braid Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
260	220yds/8lb	200yds/14lbs	5BB/1RB	5.1:1	25	12.2
360	240yds/10lb	260yds/20lbs	5BB/1RB	5.1:1	28	12.9
460	240yds/12lb	330yds/20lbs	5BB/1RB	4.6:1	27	19.4
560	240yds/15lb	320yds/30lbs	5BB/1RB	4.6:1	30	19.9
760	300yds/20lb	450yds/50lbs	6BB/1RB	4.7:1	38	26.8

SLAMMER LIVE LINER

SPINNING REEL

The Penn Slammer Live Liner series of reels contains all of the features found in the Slammer series plus a secondary rear drag for live baiting and automatic live-lining trip feature. This feature allows you to rapidly move from the live bait rear drag to the oversized and powerful front "fighting" drag with a simple spin of the handle.

- Sturdy full metal body keeps precise gear alignment under heavy loads.
- Oversized HT-100™ drag washer provides smooth stopping power.
- Triple-supported, oversized main shaft for uncompromising alignment.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.
- Automatic engaging live-liner system
- Five stainless steel ball bearings plus one infinite anti-reverse roller bearing. (760 has 6BB+1RB)
- Penn Leveline® wrap system.



The Slammer's automatic engaging live-liner system takes the challenge out of live baiting.



Model	Mono Cap.	Braid Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
560L	240yds/15lb	320yds/30lbs	5BB/1RB	4.6:1	30	20.7
760L	300yds/20lb	450yds/50lbs	6BB/1RB	4.7:1	38	28

SPINFISHER® SSG

SPINNING REEL

Penn invested a great deal of time and engineering effort to completely redesign the SS series of graphite spinning reels. The Penn Spinfisher® Series is one of the most recognizable series of reels in the world and we have taken the SSg series into the future by upgrading and enhancing the design and function in these Spinfisher® SSG spinning reels. Like the larger SSm (metal) reels, all of the Spinfisher SSG models now incorporate an infinite anti-reverse roller bearing for immediate hook setting capabilities and an incredibly balanced feel courtesy of the latest in computer modeling and balancing. In addition to improving feel and function, we have retained the durability and quality of these reels.

- Lightweight and corrosion-resistant graphite body.
- HT-100™ drag washer provides smooth and sure stopping power.
- Sealed drag knob.
- Stainless steel main shaft.
- Five stainless steel ball bearings.
- Infinite anti-reverse roller bearing.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.
- Fail-free bail spring.
- Trip friction ramp prevents premature bail trip when casting.
- Penn Leveline® wrap system.



440SSg

Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
420SSg	165yds/4lb	5BB/1RB	5.3:1	21	7.8
430SSg	200yds/6lb	5BB/1RB	5.1:1	26	9.8
440SSg	200yds/10lb	5BB/1RB	5.1:1	29	14.3
450SSg	250yds/10lb	5BB/1RB	4.6:1	28	15.6
550SSg	275yds/12lb	5BB/1RB	4.6:1	29	15.9



SPINFISHER® SSM

SPINNING REEL

The Penn Spinfisher Series remains one of the most recognizable reel series in the world, and while others continue to chase after this series by matching our colors and look, none have come close to the SS's quality and durability. The SSm models feature a metal body designed to handle all the rigors of big water fishing. Simply put, the Spinfisher SSm reels are the most capable and durable metal bodied spinning reels on the market, along with the powerful Penn Slammer.

- Full metal body and rotor.
- HT-100™ drag washer provides smooth and sure stopping power.
- Sealed drag knob.
- Stainless steel main shaft.
- Five stainless steel ball bearings.
- Infinite anti-reverse roller bearing.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.
- Fail-free bail spring.
- Penn Leveline® wrap system.
- Oversized, ergonomic power knob on 850SSm & 950SSm models.



750SSM

Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
650SSm	250yds/15lb	5BB/1RB	4.7:1	34	24
750SSm	250yds/20lb	5BB/1RB	4.6:1	36	25.7
850SSm	250yds/25lb	5BB/1RB	4.6:1	40	27.1
950SSm	300yds/30lb	5BB/1RB	4.2:1	38	34.5



SARGUS

SPINNING REEL

The Sargus reels are built Penn tough – with a rugged corrosion resistant aluminum alloy body, side plate and rotor, as well as powerful features on the inside. These reels feature high speed gearing for moving baits quickly and fighting fish with efficiency. The Sargus series of spinning reels is well suited for many types of fishing in both fresh and saltwater.

- Sturdy aluminum body keeps precise gear alignment under heavy loads.
- Five stainless steel ball bearings.
- Infinite anti-reverse roller bearing.
- Stainless steel main shaft.
- Sealed drag knob.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.



Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
SG2000	115yds/6lb	5BB/1RB	6.2:1	29	9.1
SG3000	145yds/8lb	5BB/1RB	6.2:1	31	11.6
SG4000	195yds/10lb	5BB/1RB	6.2:1	34	12.6
SG5000	220yds/14lb	5BB/1RB	5.6:1	37	20.3
SG6000	230yds/17lb	5BB/1RB	5.6:1	39	21.8
NEW SG7000	240yds/20lb	5BB/1RB	5.3:1	39	27.8
NEW SG8000	240yds/25lb	5BB/1RB	5.3:1	41	29.2



CAPTIVA & CAPTIVA LIVE LINER

SPINNING REEL

Given the success of the first Captiva® spinning reel over 5 years ago, we updated and upgraded one of our proven sellers. We strengthened the frame while still maintaining a sleek appearance, the result is a graphite body reel with less flex. We have also upgraded the handle which now threads directly into the main gear, thus creating an extremely solid feel with no backplay. The 2nd generation of Captiva® reels is here.



CV28000



- Eight Stainless steel ball bearings.
- Nine stainless steel ball bearings in Captiva Live Liner.
- Infinite anti-reverse roller bearing.
- Long-cast aluminum spool.
- Lightweight graphite body.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.



The automatic engage feature of the liveliner is ideal for live bait fishing



CLL5000

Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
NEW CV22000	220yds/6lb	8BB/1RB	5.2:1	26	9.0
NEW CV24000	200yds/8lb	8BB/1RB	5.2:1	29	10.9
NEW CV25000	200yds/12lb	8BB/1RB	5.2:1	32	14.3
NEW CV26000	225yds/16lb	8BB/1RB	5.2:1	34	15.9
NEW CV28000	275yds/20lb	8BB/1RB	4.1:1	34	24.3
CLL4000	200yds/12lb	9BB/1RB	5.5:1	31	13.6
CLL5000	225yds/16lb	9BB/1RB	5.2:1	31	19.0
CLL6000	275yds/20lb	9BB/1RB	5.2:1	34	20.7

LL- Liveliner Feature

SILVERADO®

SPINNING REEL

Offering maximum performance at an affordable price, the Penn Silverado® is based on the sleek design of the popular Penn Captiva reel. The Silverado comes in five popular sizes, so they can go from fresh water to salt water and perform great in both. The Silverado will provide casting accuracy and distance so you can easily reach the fish.

- Four stainless steel ball bearings.
- Infinite anti-reverse roller bearing.
- Long-cast aluminum spool.
- Lightweight graphite body.
- Techno-balanced™ rotor gives smooth retrieves, even with high cranking speeds.



Model	Mono Cap.	Bearings	Gear Ratio	Line Retrieve (in)	Weight (oz)
SV2000	200yds/6lb	4BB/1RB	5.5:1	24	9.8
SV4000	200yds/10lb	4BB/1RB	5.2:1	27	11.2
SV5000	200yds/12lb	4BB/1RB	5.2:1	30	15.9
SV6000	225yds/16lb	4BB/1RB	5.2:1	33	17
SV8000	275yds/20lb	4BB/1RB	4.7:1	34	23.9



INTERNATIONAL® V

IGFA

RODS

The International® V-Series IGFA rods were created for the most demanding and discriminating big game anglers looking to catch world record fish or win big game tournaments. These rods feature more traditional parabolic tapers and configurations for maximum leverage when used in conjunction with a quality fighting chair.



- Hollow e-glass construction
- Stuart aluminum reel seats and butts
- EVA fore grips
- All rods have gimbals built into butts
- Aftco roller guides

As noted in the adjacent rod chart, there are two available butt options for both 80# and 130# class rods; straight or bent butt (B). The straight butt option maintains the traditional look and feel of the trolling rod, while the bent butt option lowers the reel relative to the angler for greater angler comfort and increases the angler's leverage by shifting the rods' fulcrum, thereby creating a true physical advantage for the angler relative to the fish.

International® V IFGA

Model	Length	Line Weight
5030	6'10"	30lb
5050	6'10"	50lb
5070	6'10"	50/80lb
5080	6'11"	80lb
5080B	7'3"	80lb
5130	7'4"	130lb
5130B	7'8"	130lb



INTERNATIONAL® V
STANDUP
RODS

Utilizing fast tapers and shorter blanks, International® V-Series Standup Rods offer anglers opting to fight standup-style greater mechanical advantages than the longer, parabolic rods needed for fighting fish in the chair. Created with soft-tip sections that quickly taper into the powerful mid- and butt-sections of these rods, you will achieve the comfortable fishing action, along with the handling power required when fishing stand up outfits.

The International Series Kite rod is built to stand up to the demands and abuse of pulling in line clips to the tip with an electric reel. The International Kite rod features a heavy duty hard chrome tip and stuart slick butt for durability in the rod holder.



- One piece hollow e-glass construction
- Stuart aluminum butt sections (on some rods)
- Stuart reel seats and gimbals (on some rods)

International® V Kite

Model	Length
IK39	39"

Model	Length	Line Weight	Rod Butt	Type of Guides	Guides + Tip
VS3080ARA56	5'6"	30-80lb	Aluminum	Aftco Roller	6
VS5010ARA56	5'6"	50-100lb	Aluminum	Aftco Roller	6
VS3080ARA60	6'	30-80lb	Aluminum	Aftco Roller	7
VS5010ARA60	6'	50-100lb	Aluminum	Aftco Roller	7
VS5010AWA60	6'	50-100lb	Aluminum/ Detachable	Aftco Roller	5
VS8013AWA60	6'	80-130lb	Aluminum/ Detachable	Aftco Roller	5
VS3080RS56	5'6"	30-80lb	Slick Butt	Aftco Roller/Pac Bay Turbo	7
VS5010RS56	5'6"	50-100lb	Slick Butt	Aftco Roller/Pac Bay Turbo	7
VS2040RS60	6'	20-40lb	Slick Butt	Aftco Roller/Pac Bay Turbo	8
VS3080RS60	6'	30-80lb	Slick Butt	Aftco Roller/Pac Bay Turbo	8
VS5010RS60	6'	50-100lb	Slick Butt	Aftco Roller/Pac Bay Turbo	8
VS3080TS60	6'	30-80lb	Slick Butt	Pac Bay Turbo	8
VS5010TS60	6'	50-100lb	Slick Butt	Pac Bay Turbo	8
VS2040TS66	6'6"	20-40lb	Slick Butt	Pac Bay Turbo	8
VS3080ARD56	5'6"	30-80lb	Aluminum/ Detachable	Aftco Roller	6
VS3080ARD60	6'	30-80lb	Aluminum/ Detachable	Aftco Roller	7
VS5010ARD56	5'6"	50-100lb	Aluminum/ Detachable	Aftco Roller	6
VS5010ARD60	6'	50-100lb	Aluminum/ Detachable	Aftco Roller	7

INTERNATIONAL® V
BLUE WATER
RODS

Designed for live bait and kingfish, these rods feature an extremely soft tip to provide any bait the ability to swim naturally. The components complete this rods benefits to make it a great setup when matched with a new Torque star or lever drag reel.



- High quality Pac Bay Ti insert guides for extreme braided lines
- Triangle shaped fore grip for more control when fighting fish
- Fuji reel seats
- Aluminum gimbal

Model	Length	Line Weight	Reel Seat	Type of Guides	Guides + Tip	Gimbal
IB1220C70	7'	12-20lb	Fuji® DPSH	PacBay "DP"	10	Aluminum
IB1525C70	7'	15-25lb	Fuji® DPSH	PacBay "DP"	10	Aluminum
IB1730C70	7'	17-30lb	Fuji® DPSH	PacBay "DP"	10	Aluminum

INTERNATIONAL®
INSHORE SPECIAL
RODS

This family of rods was designed with the avid inshore fisherman in mind. The series has actions and tapers that will accommodate just about any inshore live or artificial bait application.



- 100% graphite blanks for lightweight and sensitive feel.
- Fuji alconite guides.
- Fuji graphite reel seat.
- Premium grade cork handles.
- Rubber butt cap for added durability

Model	Length	Line Weight	Reel Seat	Type of Guides	Guides + Tip	Pieces
I1612S70	7'	6-12lb	Fuji® DPS	Fuji® Alconite	7	1
I1817S70	7'	8-17lb	Fuji® DPS	Fuji® Alconite	7	1
I1S817S76	7'6"	8-17lb	Fuji® DPS	Fuji® Alconite	8	1
I1S1020S76	7'6"	10-20lb	Fuji® DPS	Fuji® Alconite	8	1
I1S612C66	6'6"	6-12lb	Fuji® ECS	Fuji® Alconite	8	1
I1S612C70	7'	6-12lb	Fuji® ECS	Fuji® Alconite	8	1
I1S817C70	7'	8-17lb	Fuji® ECS	Fuji® Alconite	8	1
I1S1020C70	7'	10-20lb	Fuji® TCS	Fuji® Alconite	8	1

TORQUE[®] JIG SERIES RODS

Torque Jigging Rods are designed using a super thin yet strong blank that provides incredible strength necessary when pulling up large tuna, snapper and grouper. The rods are strengthened by an addition layer of graphite. With all the strength the rods possess, they are still light enough for long-term jigging. All Torque Jigging Rods are finished with PacBay stainless steel guides with deep-pressed titanium coated inserts for durability against salt water conditions. Triangle-shaped EVA handles are easy to hold and keep the rod from turning over while fighting fish. The EVA rear grip features flat sides for added comfort when holding the rod under your arm. Conventional rods have aluminum gimbals with EVA covers and Fuji palm support trigger reel seats.

- Fuji[®] reel seats
- One-piece rods
- Triangle shaped EVA handles
- Pacbay SS Ti Coated braided line

Model	Length	Line Weight	Reel Seat	Type of Guides	Guides + Tip	Gimbal
TJ2050S70	7'	20-50lb	Fuji [®] DPS	PacBay "TV"	8	NA
TJ3080S66	6'6"	30-80lb	Fuji [®] DPS	PacBay "TV"	10	NA
TJ3080C66	6'6"	30-80lb	Fuji [®] Palm Support	PacBay "DP"	8	Aluminum
TJ5010C66	6'6"	50-100lb	Fuji [®] Palm Support	PacBay "DP"	9	Aluminum
TJ8013C58	5'8"	80-130lb	Fuji [®] Palm Support	PacBay "DP"	9	Aluminum

TUNA STICK[®] RODS

Tuna Sticks have long been a standard in the standup big game fishing rod market and have become renowned for their ability to take on the toughest fights. The Tuna Stick[®] is hand-crafted using the powerful Penn P450 Superglass[™] tubular blank combined with the highest quality components. The Tuna Stick[®] features a modified parabolic tapered blank and is capable of providing leverage for anglers strapped into the fighting chair, while the fast-tip sections provide standup anglers the recovery power necessary when hooked into large pelagics.

- One-piece glass tubular blank with solid tip
- Premium Aftco[®] roller guides
- Stuart aluminum butt section and reel seat
- Comfortable EVA fore grip

Model	Length	Line Weight	Guides + Tip
TS3080ARA56	5'6"	30-80lb	6
TS5010ARA56	5'6"	50-100lb	6
TS3080ARA60	6'	30-80lb	7
TS5010ARA60	6'	50-100lb	7

SENATOR[®] RODS

Borrowed from a legendary Penn namesake, Penn Senator[®] rods were designed to be as durable and rugged as the reels they were intended to match. Utilizing chrome guides "in-between" AFTCO[®] Roller Stripper and Tiptop, Senator[®] rods are an economical version of full roller guided rods. This setup along with quality reel seats and slick butts make Penn Senator[®] rods a great choice when all rollers are not required.

- One-piece tubular glass with solid tip blank
- Aluminum reel seat
- Aluminum gimbal
- Comfortable EVA fore grip
- Slick butt

Model	Length	Line Weight	Guides + Tip
3135RS	6'6"	20-40lb	5
3145RS	6'6"	30-50lb	5
3165RS	6'6"	40-60lb	5
3195RS	6'6"	60-80lb	5

MARINER® STAND UP

RODS

Penn Mariner® Standup rods are tough, dependable and good looking, from the rugged construction for long-lasting use, to the great looking wraps that will make these rods the choice of captains.

- One-piece solid glass blanks
- Heavy-duty turbo frame guides with aluminum oxide inserts
- Machined aluminum reel seat
- Aluminum gimbal
- Comfortable EVA fore grip
- Slick butt
- Select models feature stuart roller stripper and tip tops

Model	Length	Line Weight	Reel Seat	Type of Guides	Guides + Tip	Gimbal
530CMST	5' 6"	20-50lb	EVA	AX Turbo	6	Aluminum
560CHST	5' 6"	30-80lb	EVA	AX Turbo	6	Aluminum
580CHST	5' 6"	50-100lb	EVA	AX Turbo	6	Aluminum
630CMST	6'	20-50lb	EVA	AX Turbo	6	Aluminum
660CHST	6'	30-80lb	EVA	AX Turbo	7	Aluminum
6306CMST	6' 6"	20-50lb	EVA	AX Turbo	7	Aluminum
NEW MSU2050RS56	5' 6"	20-50lb	Aluminum	Stuart Roller/AX Turbo	6	Aluminum
NEW MSU3080RS56	5' 6"	30-80lb	Aluminum	Stuart Roller/AX Turbo	6	Aluminum
NEW MSU5010RS56	5' 6"	50-100lb	Aluminum	Stuart Roller/AX Turbo	6	Aluminum
NEW MSU2050RS60	6'	20-50lb	Aluminum	Stuart Roller/AX Turbo	7	Aluminum
NEW MSU3080RS60	6'	30-80lb	Aluminum	Stuart Roller/AX Turbo	7	Aluminum

MARINER® BOAT

RODS

Mariner® Boat rods cover all of your near shore fishing needs, from bottom fishing with conventional boat rods, to some serious bottom fishing for monster halibut. The Penn Mariner® is unlike typical solid-glass rods, with tapers comparable to more expensive tubular blanks. Weight is minimal when compared to other solid-glass rods, courtesy of some clever engineering from our rod designers, using the latest glass composite materials and construction techniques.

- One-piece solid glass blanks
- Ceramic guide inserts
- Comfortable EVA grip and handle

Model	Length	Line Weight	Reel Seat	Type of Guides	Guides + Tip	Gimbal
MB1025C56	5' 6"	10-25lb	Graphite	AX Conv	4	NA
MB1530C60	6'	15-30lb	Graphite	AX Conv	5	NA
MB1530C66	6' 6"	15-30lb	Graphite	AX Conv	5	NA
MB2050C66	6' 6"	20-50lb	Graphite	AX Conv	5	NA
MB1530C70	7'	15-30lb	Graphite	AX Conv	6	NA
MB3080C56	5' 6"	30-80lb	Aluminum	Aftco Roller/AX Conv.	6	Aluminum
MB1025S56	5' 6"	10-25lb	Graphite	AX Spinning	4	NA
MB1530S60	6'	15-30lb	Graphite	AX Spinning	5	NA
MB2050S66	6' 6"	20-50lb	Graphite	AX Spinning	5	NA
MB1530S70	7'	15-30lb	Graphite	AX Spinning	5	NA

SLAMMER®

RODS

The Penn Slammer rods feature a lightweight, but powerful composite blank. Anglers will notice immediately a more user-friendly, faster tapered blank that provides for improved leverage, fish-fighting power, as well as a much better feel. Top grade cork or comfortable EVA handles, depending on rod type. Spinning rods feature red and gold-checked threadwork to complement the Penn Spinfisher and Slammer reel series, while the conventional rods feature silver and black-checked threadwork to match perfectly with the GTi and GTO Series conventional reels.

- One-piece tubular composite blank
- Graphite reel seat
- Graphite gimbal on select models

Model	Length	Line Weight	Rod Butt	Type of Guides	Guides + Tip	Blank Construction	Gimbal
SL1740C70CR	7'	17-40lb	EVA	Chrome Ring	9	Tubular w/solid tip	Graphite
SL1540C60	6'	15-40lb	EVA	AX Conv	5	Tubular w/solid tip	Graphite
SL2050C66	6' 6"	20-50lb	EVA	AX Conv	6	Tubular	Graphite
SL3080C66	6' 6"	30-80lb	EVA	AX Conv	6	Tubular	Graphite
SL3060C70	7'	30-60lb	EVA	AX Conv	7	Tubular	Graphite
SL2050CR66	6' 6"	20-50lb	EVA	Stuart Roller	5	Tubular	Graphite
SL3080CR66	6' 6"	30-80lb	EVA	Stuart Roller	5	Tubular	Graphite
SL3080SU60	6'	30-80lb	Slick	AX Turbo	7	Tubular	Aluminum
SL612S66	6' 6"	6-12lb	Cork	AX Spinning	6	Tubular	NA
SL612S70	7'	6-12lb	Cork	AX Spinning	7	Tubular	NA
SL817S70	7'	8-17lb	Cork	AX Spinning	7	Tubular	NA
SL1020S70F	7'	10-20	EVA	AX Spinning	7	Tubular	NA
SL1220S70F	7'	12-20lb	EVA	AX Spinning	6	Tubular	NA
SL1530S70F	7'	15-30lb	EVA	AX Spinning	7	Tubular	Graphite

POWER STICK®

RODS

With tapers designed for saltwater anglers, Penn Power Stick® rods are one of the most popular and recognizable fishing rods anywhere. Penn Power Stick® tapers, with Integrated Solid Tip (IST) construction, offer soft, fast tips perfect for pitching and casting live baits or lures, while the stout mid- and butt-section of the rods allow the angler to work larger fish and heavier weights for bottom fishing. From light action rods to a true "cod rod" for deepwater fishing, Penn Power Stick® rods are a perfect choice for your fishing needs.

- One-piece glass tubular blank with solid tip
- Graphite reel seat
- EVA frip
- Slick butt on select models

Model	Length	Line Weight	Rod Butt	Type of Guides	Guides + Tip	Gimbal
PC6661MH	6'6"	15-40lb	EVA	Chrome Ring	9	NA
P1230C66T	6'6"	12-30lb	EVA	AX Turbo	7	Graphite
P1540C66T	6'6"	15-40lb	EVA	AX Turbo	7	Graphite
PC6701L	7'	12-25lb	EVA	Chrome Ring	8	NA
PC6711ML	7'	15-30lb	EVA	Chrome Ring	8	NA
PC6721M	7'	17-40lb	EVA	Chrome Ring	8	NA
PC3661MH	6'6"	20-50lb	EVA	AX Conv	7	Graphite
PC3723	7'	15-40lb	EVA	AX Conv	8	NA
PC3866	6'6"	15-40lb	EVA	AX Conv	9	NA
PC3801	7'	12-25lb	EVA	AX Conv	9	Graphite
P4080C76T	7'6"	40-80lb	EVA	AX conv	7	Graphite
PC3811	7'	12-30lb	EVA	AX Conv	9	Graphite
PC3821	7'	15-40lb	EVA	AX Conv	9	Graphite
P1740S70SB	7'	17-40lb	Slick Butt	Conv	8	Graphite
P2050C66WL	6'6"	20-50lb	Slick butt	Carbide	5	Graphite
PD3880	8'	10-20lb	EVA	AX Conv	10	Graphite
PD3886	8'6"	8-17lb	EVA	AX Conv	9	Graphite
PS4811	7'	12-30lb	EVA	AX Spinning	8	NA
PS4821	7'	15-30lb	EVA	AX Spinning	8	Graphite

POWER STICK® SURF

RODS

Power Stick Surf rods feature high-modulus lightweight graphite blanks for increased casting distances and fish-fighting power. Combined with friction reducing aluminum-oxide guides, Penn Power Stick Surf rods are great casting machines. While techniques and styles vary from one beach to another, one thing is constant in surf fishing – Penn. Power Stick Surf rods were designed for a variety of styles, from throwing lures and metal for stripers and bluefish, to casting clam and worm rigs as well as cut bait.

- Two-piece graphite tubular blanks
- Cork tape grips and handles
- Corrosion resistant AX spinning guides
- Graphite reel seat

Model	Length	Line Weight	Lure Weight	Guides + Tip	Pieces
PSS1220S80	8'	12-20lb	1/4 to 2 oz	5	2
PSS1220S90	9'	12-20lb	1 to 5 oz	5	2
PSS1530S10	10'	15-30lb	1 to 5 oz	5	2
PSS1530S11	11'	15-30lb	3 to 6 oz	6	2
PSS2040S12	12'	20-40lb	4 to 8 oz	7	2

SPINFISHER® SURF

RODS

Spinfisher® Surf rods feature lightweight high-modulus graphite blanks and comfortable EVA grips. Spinfisher Surf rods are an incredible value and performance-oriented fishing rod rolled into one. The six rod models in this series lend themselves to a variety of fishing applications, and regardless of whether you are throwing soft plastics, hard plastics, worms and clam, or cut-bait there is a Spinfisher® Surf rod for your fishing needs.

- Tubular graphite blanks
- Comfortable EVA grips and handles
- Graphite reel seat
- AX spinning guides

Model	Length	Line Weight	Lure Weight	Guides + Tip	Pieces
SBG9807	7'	12-20lb	1/4 to 2 oz	5	1
SBG9808	8'	12-20lb	1/4 to 2 oz	5	2
SBG9809	9'	12-20lb	1 to 5 oz	5	2
SBG9810	10'	15-30lb	1 to 5 oz	5	2
SBG9811MH	11'	15-30lb	3 to 6 oz	6	2
SBG9812H	12'	20-40lb	4 to 8 oz	7	2



SENATOR®
COMBOS

Still holding claim to a ton of world records, the Penn Senator® is an icon in saltwater fishing. When matched to the Penn Slammer® Rods for a factory-matched combo, you are assured of a balanced combo, created for fishing a variety of species. From trolling for striper to bottom fishing for Grouper, Penn Senator® combos are an excellent choice.

Model	Reel	Line Cap.	Rod	Length	Weight
91330	113H	475yds/30LB	SL2050C66	6'6"	20-50LB
91313	113H	475yds/30LB	SL2050CR66	6'6"	20-50LB
91332	113H	475yds/30LB	SL2050C66T	6'6"	20-50LB
91464	114H	475yds/50LB	SL3080C66	6'6"	30-80LB
91414	114H	475yds/50LB	SL3080CR66	6'6"	30-80LB
91166	115L	675yds/50LB	SL3080CR66	6'6"	30-80LB



GT® LEVEL WIND
COMBOS

The GT level wind reels are a popular choice of anglers from coast to coast. When matched with a Penn Slammer rod, these user friendly combos are an ideal choice for all varieties of fishing.

Model	Reel	Line Cap.	Rod	Length	Weight
93230	320GT2	320yds/20LB	SL2050C66	6'6"	20-40LB
93288	320GT2	320yds/20LB	P1020GL86	8'6"	10-20LB
93212	320GT2	320yds/20LB	SL1230c70	7'	12-30LB
93330	330GT2	350yds/30LB	SL2050C66	6'6"	20-50LB
93350	330GT2	350yds/30LB	SL2050CR66	6'6"	20-50LB
93331	330GT2	350yds/30LB	SL3080C66	6'6"	30-80LB
93363	330LD	325yds/30LB	SL3080C66	6'6"	30-80LB



GTO
COMBOS

With line capacities similar to those of the GT Level wind reels, the GTO reels offer similar performance in a slightly more economical package. When matched to a Penn Slammer rod, these combos are perfect for everything from catfish to sailfish.

Model	Reel	Line Cap.	Rod	Length	Weight
92206	220GTO	320yds/20LB	SL2050C66	6'6"	20-50LB
92207	220GTO	320yds/20LB	SL1230C70	7'	12-30LB
92208	220GTO	320yds/20LB	P1020GL86	8'6"	10-20LB
92209	220GTO	320yds/20LB	SL1540C60	6'	15-40LB
92360	230GTO	320yds/30LB	SL1540C60	6'	15-40LB
92366	230GTO	320yds/30LB	SL2050C66	6'6"	20-50LB



JIGMASTER®
COMBO

Penn Jigmaster® reels are a popular reel for west coast albacore fishing and east Coast King Mackerel fishing. The Jigmaster® was one of the first casting reels from Penn, and due to its popularity and performance is still going strong. Matched to the Penn Slammer, the Jigmaster® combo is a perfectly balanced live bait combo.

Model	Reel	Line Cap.	Rod	Length	Weight
95011	500L	320yds/20LB	SL1740C70CR	7'	17-40LB



LEVEL WIND
COMBOS

Some of the original designs from Penn are still popular choices for inshore and bottom fishing due to their reliability and durability. Penn Level Wind combos are matched to Mariner® Boat rods for various fishing applications. Penn Level Wind Combos have been there, seen that, and remain as reliable as ever.

Model	Reel	Line Cap.	Rod	Length	Weight
90960	209M	320yds/20LB	MB1530C60	6'	15-30LB
93930	309M	350yds/30LB	MB2050C66	6'6"	20-50LB



SPINFISHER®
COMBOS

Penn Spinfisher® Reels matched to Penn Slammer Rods are balanced, both in terms of weight and cosmetics. Spinfisher® Combos are a favorite rod and reel choice for anglers in all reaches and locations due to their performance, reliability, and balance. Whether fishing light tackle or the open blue water, Spin-fisher® combos are a perfect choice.

Model	Reel	Line Cap.	Rod	Length	Weight
94486	440SSg	200yds/10LB	SL612S66	6'6"	6-12LB
94487	440SSg	200yds/10LB	SL612S70	7'	6-12LB
94560	450SSg	250yds/10LB	SL1020S60	6'	10-20LB
94587	450SSg	250yds/10LB	SL817S70	7'	8-17LB
95587	550SSg	275yds/12LB	SL817S70	7'	8-17LB
95517	550SSg	275yds/12LB	SL1020S70F	7'	10-20LB
95580	550SSg	275yds/12LB	SB9808	8'	12-20LB
96517	650SSm	250yds/15LB	SL1220S70F	7'	12-20LB
97517	750SSm	250yds/20LB	SL1530S70F	7'	15-30LB
96509	650SSm	250yds/15LB	SB9809	9'	12-20LB
98517	850SSm	250yds/25LB	SL1530S70F	7'	15-30LB
97510	750SSm	250yds/20LB	SBG9810	10'	15-30LB



SARGUS®
COMBOS

Penn Sargus® reels matched to Penn Slammer rods offer the angler a full assortment of inshore and nearshore combos. Whether catching speckled trout on one of the inshore models or bailing dolphin on one of the larger combos, the Sargus® combos aim to please.

Model	Reel	Line Cap.	Rod	Length	Weight
92066	SG2000	115yds/6LB	SL612S66	6'6"	6-12LB
93067	SG4000	145yds/8LB	SL612S70	7'	6-12LB
94072	SG4000	195yds/10LB	SL817S702	7'	8-17LB
94070	SG5000	195yds/10LB	SL817S70	7'	8-17LB
95072	SG5000	220yds/14LB	SL1020S70F	7'	10-20LB
94073	SG6000	230yds/17LB	SL1220S70F	7'	12-20LB
97007	SG7000	240yds/20LB	SL1530S70F	7'	15-30LB
97010	SG7000	240yds/25LB	SBG9810	10'	15-30LB

NEW
NEW



NEW

CAPTIVA®
COMBOS

Going along with the relaunch of the 2nd generation of Captiva reels, we present to you the 2nd generation of Captiva combos. We have matched the new Captiva reels to our extremely durable Captiva rods, perfect for any fishery.

Model	Reel	Line Cap.	Rod	Length	Weight
9CV20662L	CV22000	220yds/6lb	CV2662L	6'6"	4-10lb
9CV40662MH	CV24000	200yds/8lb	CV2662MH	6'6"	8-17lb
9CV40701MH	CV24000	200yds/8lb	CV2701MH	7'0"	8-17lb
9CV50702MH	CV25000	200yds/12lb	CV2702MH	7'0"	10-20lb
9CV60701H	CV26000	225yds/16lb	CV2701H	7'0"	20-30lb
9CV60902MH	CV26000	225yds/16lb	CV2902MH	9'0"	12-25lb
9CV80701HB	CV28000	275yds/20lb	CV2701HB	7'0"	20-40lb
9CV80102H	CV28000	275yds/20lb	CV2102H	10'0"	15-30lb



SILVERADO®
COMBOS

Penn Silverado reels matched to the Penn Pursuit™ rods offer a great looking and smooth feeling combo at an affordable price. With silky smooth gears and drags, these combos are a great value. The smaller sized Silverados are paired with Penn's Pursuit Inshore Rods, making an incredible combo for inshore and heavy freshwater fishing. The two larger sized combos pair the larger Silverado reels with Penn Pursuit Surf Rods, and are a great combo for the weekend surf angler.

Model	Reel	Line Cap.	Rod	Length	Weight
98266	SV2000	200yds/6LB	PP612S662	6'6"	6-12LB
98460	SV4000	200yds/10LB	SL1020S60	6'	10-20LB
98473	SV4000	200yds/10LB	PP612S70	7'	6-12LB
98570	SV5000	200yds/12LB	PP817S70	7'	8-17LB
98670	SV6000	225yds/16LB	SL1020S70F	7'	10-20LB
98681	SV6000	225yds/16LB	PRS1220S80	8'	12-20LB
98870	SV8000	275yds/20LB	SL1530S70F	7'	15-30LB
98880	SV8000	275yds/20LB	PRS1225S90	9'	12-25LB
98010	SV8000	275yds/20LB	PRS1530S10	10'	15-30LB
98012	SV8000	275yds/20LB	PRS2040S12	12'	20-40LB

PENN GT / UGLY STIK COMBOS

We have matched the most durable Penn level wind reels with the most durable Ugly Stik® rods to bring you the new Penn GT / Ugly Stik® combos. The well rounded assortment for year one includes a 320GT2 with the best selling Ugly Stik® live bait rod which is ideal for kingfish, cobia, and dolphin fishing. We also offer an assortment of general purpose combos which are ideal for trolling, drifting, or bottom bashing for big grouper and snapper. Last but not least we have 2 models for our friends on the west coast. These combos feature the popular Ugly Stik® tiger rods matched with either a 320 GT2 or our 321 GT2 for the lefties. These combos are naturals for the demanding sturgeon and halibut fisheries.



Model	Reel	Line Cap.	Rod	Length	Weight
9320BW70LB	320GT2	320yds/20lb	BWLB110070	7'0"	12-25lb
9320BW66MH	320GT2	320yds/20lb	BWB113066	6'6"	15-40lb
9330BW66H	330GT2	350yds/30lb	BWB114066	6'6"	20-50lb
9330BW70H	330GT2	350yds/30lb	BWB114070	7'0"	20-50lb
9320TG70H	320GT2	320yds/20lb	BWCAO220170	7'0"	20-50lb
9321TG70H	321GT2	320yds/20lb	BWCAO220170	7'0"	20-50lb

PENN SPINFISHER / UGLY STIK COMBOS


Introducing the most durable spinning combos on the market, hands down! We've matched the iconic Penn® Spinfisher reels with some of the best selling Ugly Stik® bigwater and Ugly Stik® life rods. Both the Spinfisher reels and the Ugly Stik® rods have stood the test of time. They are truly a match made in heaven (for saltwater angler's heaven that is.) Wheater you enjoy chasing redfish with our 440SSg, stripers with the 550SSg, or heading offshore with the 750SSm, we've built a combo to suit your needs.



Model	Reel	Line Cap.	Rod	Length	Weight
9440IS661M	440SSg	200yds/10lb	SPI11661M	6'6"	6-15lb
9440IS701ML	440SSg	200yds/10lb	SPI11701ML	7'0"	6-15lb
9450IS701M	450SSg	250yds/10lb	SPI11701M	7'0"	6-15lb
9550IS701MH	550SSg	275yds/12lb	SP11701MH	7'0"	8-17lb
9550BW662MH	550SSg	275yds/12lb	BWS110066	6'6"	10-25lb
9550BW702MH	550SSg	275yds/12lb	BWS110070	7'0"	10-25lb
9550BW701MH	550SSg	275yds/12lb	BWS110170	7'0"	12-30lb
9550BW802MH	550SSg	275yds/12lb	BWS110080	8'0"	10-25lb
9750BW701H	750SSm	250yds/20lb	BWS110270	7'0"	15-40lb
9750BW902MH	750SSm	250yds/20lb	BWS110090	9'0"	12-30lb

DOWNRIGGERS & ACCESSORIES

They're back by popular demand! The only downrigger that can ride along side your arsenal of Penn reels, the Penn Fathom Master™ manual downrigger is the most reliable downrigger you will ever own. Built with only the strongest, most corion resistant components, the Fathom Master might be your new most dependable fishing buddy!



Model	Description
600NW	Fathom-Master® 24 in. Boom, 200 ft. Cable, No Weight
625NW	Fathom-Master® 48 in. Boom, 200 ft. Cable, Swivel-Matic® Base
10WNR	FathomTrol Weight (10 lb.) No Release
610RH	Rod Holder Kit for Manual Fathom-Master®
622ASM	Adj. Swivel-Matic Base for all Fathom-Masters®
632	Quick Mount Jr. 9" Flush Mount Adaptor
634	Quick Mount Sr. 12" Flush Mount Adaptor
638	Boom Extension Kit
354-POR1	Penn® Offshore Release

Penn offers a variety of accessories to use with the Fathom-Master™ downriggers. These accessories will maximize the performance of your Penn downrigger. For additional accessories not shown here, visit our website at www.pennreels.com and click on the Accessories page.



Downrigger Weight (#10W) 10lb weight drops line to the desired depth.



Release Clip (#354-POR1) holds line securely and instantly releases when a fish strikes.



Boom Extension (#638) extends downrigger an extra 24"



Quick-Mount Adapters (#632 # #634) enable anglers to instantly convert an in-gunnel rod holder to a downrigger attachment point.



Rod Holder (#610RH) mounts easily and securely.



Swivel-Matic™ (#622ASM) attaches to the base of downrigger for easy positioning.

PENN LUBE

Due to the harsh marine environment Penn Reels often find preventive maintenance a must. With our anglers in mind, Penn® Reel Lube was developed to assure optimum lubrication protection against corrosion and rust. Penn Lube products ensure smoother operation, providing superior lubricity resulting in drastically increased performance. Penn® Lube products are the only lube used and recommended by Penn. We tested everything under the sun, and frankly, this was the finest, best performing lube available. It is the only Lube used in Penn Reels, and should be yours as well. For quality and performance, always ask for Penn® by name.



MEET THE ARTIST



Jeff Weese is a nature artist who showed his artistic talents from the time he was a young man growing up in Ontario, Canada. Sketching anything that caught his eye, he started experimenting with watercolor and acrylics at eighteen. He studied Fine Arts and graduated from St. Lawrence College in Kingston, Ontario. Painting primarily scenes of his beloved Canada, Jeff has achieved a measure of success becoming a well-known artist in the Kingston, Ontario area. Whether it is Kingston streetscapes, scenes of Big Gull Lake in the "Land O' Lakes" region, or the myriad of wildlife native to Canada, his paintings realistically depict everyday life as he envisions it.

In 1997 he decided to broaden his horizons and continue his studies, pursuing a degree in Graphic Design. In 2000, he moved to the United States. He completed an internship with the South Carolina Waterfowl South Carolina. He is currently working for Shakespeare Fishing Tackle in the Art Department.

Continuing his passion for painting local color, Jeff's latest works depict scenes of the Low Country and Beaches of South Carolina. Known especially for his attention to detail and brilliant use of light, scenes of "Edisto Island" and fun works of children playing along the shores and beaches are well received by natives of his adopted country.



"Wahoo"

For more information regarding availability of paintings, prints or commissions contact Jeff Weese at
803-960-8557
jweese001@sc.rr.com
or Visit my website at: jeffweesegallery.com



Penn Fishing Tackle Mfg. Co.
3028 West Hunting Park Ave.
Philadelphia, P.A. 19132-1121
www.pennreels.com
215.229.9415