

PENN SCHEMATIC PARTS LIST FOR 309 aka 309M PEERLESS REEL

| | LINI SCHEMATIC PARTS LIST FOR SUS and SUSIM FEERLESS RELE | | | | | | | | |
|---------|--|---------------|---|-----------|---|-------------------|--|--|--|
| KEY | PUREFISHING | PART | | KEY | PUREFISHING | PART | | | |
| NO | PART NO | <u>NO.</u> | DESCRIPTION | NO | PART NO | <u>NO.</u> | DESCRIPTION | | |
| 1 | See design changes below | | 35 | 1182901 | 35-60 | CLICK TONGUE | | | |
| 2 | 1180635 | 2-309 | HANDLE SIDE RING, CHROME OVER BRONZE | 36 | See design change | es below | | | |
| 3 | 1180725 | 3-309 | BRIDGE W/ SLEEVE | 37 | 1183060 | 37-65 | FRAME POST (2 REQ.) | | |
| 4 | See correction be | low | | 38 | 1183135 | 38-8 | POST SCREW (3 REQ. PER SIDE) | | |
| 5 | 1180871 | 5-500 | MAIN GEAR | 40 | 1183267 | 40-60 | NON-HANDLE SIDE BEARING | | |
| 6 | 1180917 | 6-309 | DRAG WASHER, HT100 MATERIAL (3 REQUIRED) | 41 | 1183327 | 41-60 | NON-HANDLE SIDE BEARING SPRING | | |
| 6C | 1180394 | 6-309SP | DRAG WASHER (COMPLETE 6PC SET) | 42 | 1183346 | 42-209 | WORM | | |
| 7 | 1181018 | 7-500 | WASHER, EARRED METAL DRAG WASHER ONLY | 43 | 1183375 | 43-109 | NON-HANDLE SIDE WORM BEARING (orig 44-109 had an oil port NLA) | | |
| 7C | 1181051 | 7C-500 | DRAG WASHER (METAL SET) | 44 | 1183469 | 44N-109 | HANDLE SIDE WORM BEARING | | |
| 8 | 1181056 | 8-60 | TENSION WASHER | 44 44A | 1183927 | 57-109 | WORM BEARING SPRING | | |
| 9 | 1181143 | 9-60 | SPACING SLEEVE | | See design change | | | | |
| 9 10 | 1181176 | 9-00 10-60 | SPACING SLEEVE STAR DRAG | | 1183558 | 46-309 | | | |
| 10 | 1181227 | 11-60 | ECCENTRIC JACK, STAINLESS STEEL (OLDER WER BRASS) | 46 46C | n/a | 46-309 46-309C | LINE GUIDE LINE GUIDE ASSEMBLY 4PCs | | |
| 12 | | | PINION YOKE | 460 | | 46-309C 47-109 | | | |
| 12 | 1181257 | 12-60 | PINION YOKE PINION GEAR, BRASS | 47 48 | 1183614 1183699 | 47-109 48-109 | PAWL OVER | | |
| 13** | 1181310 | 13-85 | | 48 50 | 1183699 | 48-109 50-209 | | | |
| | N/A | 13-60 | PINION GEAR, STEEL** | | | | WORM SHEILD | | |
| 14 | 1181393 | 14-99 | DOG SPRING | 58 | 1183950 | 58-209 | SLOTTED POST | | |
| 15 | 1181457 | 15-309 | | 62 | See design change | | | | |
| 16 | 1181565 | 16-60CH | LOWER BRIDGE SCREW (2 REQ.) | 63 | See design change | | | | |
| 17 | 1181594 | 17-60CH | UPPER BRIDGE SCREW (2 REQ.) | 64 | See design change | | | | |
| 18 | 1181615 | 18-60 | CLUTCH SPRING | 65 | 1184084 | 65-209 | IDLER GEAR SCREW | | |
| 19 | 1181680 | 19-309 | ECCENTRIC | 66 | See design change | | | | |
| 20 | 1181756 | 20-60L | ECCENTRIC SPRING | 67 | 1184108 | 67-209 | DRIVE GEAR LCOK SPRING | | |
| 21 | 1181861 | 21-309 | ECCENTRIC LEVER | 69 | See design change | | | | |
| 22 | 1181908 | 22-60CH | ECCENTRIC SCREW (OLD 20-60) | 86 | 1184261 | 86-500 | WASHER, KEYED METAL DRAG WASHER ONLY | | |
| 23 | 1181935 | 23-60 | HANDLE SCREW | 98 | 1184328 | 98-60 | GEAR SLEEVE | | |
| 23A | 1184437 | 110-60 | HANDLE LOCK SCREW | 102 | 1184408 | 102-60 | GEAR SLEEVE PIN | | |
| 24 | See design chang | ges below | | 149 | See design change | es below | | | |
| 26 | 1182114 | 26-60 | HANDLE SIDE BEARING | | See design change | es below | | | |
| 27 | See design chang | ges below | | | | | | | |
| 28 | 1182380 | 28-309 | NON-HANDLE SIDE RING, CHROME OVER BRONZE | | MYSTIC REEL PARTS REVISION! | | | | |
| 29L | See design chang | es below | | | Nany of www.mysticparts.com schematics include changes that were either | | | | |
| 30 | See design chang | | | | | | d corrected by our parts dept. | | |
| 31 | 1182709 | 32-16CH | STAND SCREW (2 REQ. PER SIDE) | | MRP Ver 063022 (based on Penn's REV 11 11-1-18) | | | | |
| 33 | See design chang | es below | | | | | , | | |
| * | See design chang | | | | | | | | |
| 34 | See design chang | | | | | | | | |
| 34C | See design chang | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | WARNING! | | | | | | | | |
| W2 | LEVEL WIND | GEARS | CHANGEDI | | | | | | |
| ••• | | | | | | | | | |
| | 45, 64 AND 66 | HAVE DIF | FERENT DIAMETERS AFTER 2007 | | | | | | |
| | The idler gear, wor | m gear and le | evel wind gear orignally had slightly different dimensions on pre 2007 models. | | | | | | |
| | | • | N to ONE of the part numbers to reflect this, but the OTHER TWO part #s were never changed. | | | Com | | | |
| | r onn onanged an o and added in to one or the partnerships to relied this, but the official reveroisanged. | | | | | | | | |
| | MEASURE YOUR METAL GEARS! | | | | | | | | |
| | | | plastic one can wear down more and make measument unreliable | | ********* MEASURE | EMENTS ****** | **** | | |
| | The original gears are no longer available, you would need to change all 3 to upgrade | | | | | | | | |

WARNING!

W2 LEVEL WIND GEARS CHANGED!

45, 64 AND 66 HAVE DIFFERENT DIAMETERS AFTER 2007

MEASURE YOUR METAL GEARS!

KEY PUREFISHING PART NO PART NO NO. DESCRIPTION 45 1183541 45N-309 WORM GEAR (NEWER DIAMETER) IDLER GEAR (NEWER DIAMETER) 64 1184063 64-309 LEVEL WIND DRIVE GEAR (NEWER DIAMETER) 66 1184091 66-309

*********** MEASUREMENTS **********

| Original O.D. | Current O.D. | | |
|---------------------------|-----------------|--------------------------|---------|
| Caliper: | Caliper: | Ruler: mm: | |
| .671 in | 0.684" | 21/32" | 17.37mm |
| 1.1 in | 1.07 " | 1 3/32" ** | 27.18mm |
| .35 in | 0.366 " | 11/32" | 9.30mm |
| Parts NOT available | THIS IS WHA | T YOU GET NOW | |
| in the older diameters | ** = just a hai | r under this measurement | |

REV 11 washer error

4

1180755 4-60 FIBER WASHER (use THIS one!)

4-155 was listed in erorr on the rev11 schematic DO NOT USE THAT washer х

HANDLE OPTIONS

| | | | COUNTER BALANCED HANDLE DESIGNS |
|----|---------|---------|---|
| 24 | 1191342 | 24S-310 | HANDLE, STAINLESS STEEL BLADE, BLACK RUBBERIZED KNOB |
| | OLD# | 24-66 | HANDLE, CHROME/BRONZE BLADE, TORPEDO KNOB ASST'D COLORS |
| | OLD# | 24N-66 | HANDLE, CHROME/BRONZE BLADE, BLACK RUBBERIZED KNOB |
| | | | |

SPOOL NOTES

| 29 or 29P | N/A | 29-309 | SPOOL, BAKELITE (PLASTIC) |
|-----------|---------|---------|-----------------------------------|
| 29L | 1182533 | 29L-309 | SPOOL, ALUMINUM (BLACK) |
| 29M | N/A | 29M-309 | SPOOL, METAL (CHROME OVER BRONZE) |

SIDE PLATE CHANGES

| | 1 | 1180491 | 1-309CHINA 1-309USA | HANDLE SIDE PLATE HANDLE SIDE PLATE |
|---|----|----------------|------------------------|--|
| I | 27 | 1182216 NLA | 27-209 27-209USA | NON-HANDLE SIDE PLATE, BLACK, CHINA NON-HANDLE SIDE PLATE, BLACK OR OLDER RED/BURG, MADE IN USA |
| | | | 2. 20000.1 | |

STAND NOTES

| KEY | PUREFISHING | PARI | |
|-----------|-------------|------------|---|
| <u>NO</u> | PART NO | <u>NO.</u> | DESCRIPTION |
| 30 | 1182609 | 30-66 | STAND, MODERN (STAINLESS MATTE FINISH) |
| | N/A | 30-66F | STAND, FRESHWATER 1970s (MEASUREMENT: ??) |
| | N/A | 30-66S | STAND, SALTWATER 1970s (MEASUREMENT: ??) |
| | | | |

CLICK SPRING AND BUTTON CHANGES

| KEY <u>NO</u> | PUREFISHING <u>PART NO</u> | PART <u>NO.</u> | DESCRIPTION |
|------------------|-------------------------------|--------------------|--|
| 62 | 1184028 | 62-309 | |
| 63 | 1184048 | 63-209 | CLICK SPRING SCREW (FOR METAL CLICK SPRING) |
| | ORIGNAL METAL S | PRING, CHA | NGED TO PLASTIC THEN CHANGED BACK AGAIN |
| 62 | N/A | 62M-209 | CLICK SPRING (PLASTIC) |
| 63 | 1182662 | 31-2.5FR | CLICK SPRING SCREW (FOR PLASTIC CLICK SPRING) |
| | On 9, 155, 209, 309, | 320GT and 3 | 30GT reels: Clicker Screw (used with plastic 62M-209 clicker) |
| 36 | NLA | 36-209 | CLICK BUTTON, OLD STYLE DRILL OUT AND PEEN INTO PLACE |
| | 1183048 | 36N-209 | CLICK BUTTON, SLOTTED TO USE CLIP 69b-600 |
| 69 | 1184129 | 69B-600 | CLICK BUTTON RETAINING SPRING |

CLAMP CHANGES

| 0 | Ider Thin Metal C | lamps, Studs | and Nuts | | | |
|---|-------------------|--------------|---|--|--|--|
| 33 | 1182759 | 33-200 | THIN METAL CLAMP | | | |
| * | 1182783 | 33R-200 | THIN METAL CLAMP, W/RING (OPTIONAL) | | | |
| 34 | 1182810 | 34-200 | CLAMP SCREW (ONLY) (2 REQUIRED) | | | |
| 34C | 1182875 | 34C-200 | CLAMP SCREW W/ HEX AND WING NUTS (2 REQUIRED) | | | |
| 33C | 1191611 | 33C-200 | THIN METAL CLAMP KIT W/STUDS/NUTS INCLUDED | | | |
| 149 | 1184702 | 149-45 | CLAMP NUT, LONG (2 REQ.) | | | |
| 149A | 1184706 | 149-200 | HEX NUT (2 REQ.) | | | |
| Thicker Modern Clamps with shorter studs and long nut | | | | | | |
| 33 | N/A | 33-113 | ROD CLAMP, Thick Graphite | | | |
| * | 1182754 | 33N-113 | ROD CLAMP, Thick Graphite w/ side ring | | | |
| 34 | 1100700 | 24 45 | | | | |

| - 34 | 1102/00 | 34-45 | CLAWF SCREW (ONLT) (2 REQUIRED) |
|------|---------|-----------|--|
| 34C | 1182862 | 34C-45 | CLAMP SCREW W/ HEX AND LONG NUTS (2 REQUIRED) |
| 33C | 1180382 | 33N-113SP | THICK GRAPHITE CLAMP KIT W/STUDS/NUTS INCLUDED |
| 149 | 1184709 | 152-200 | WING NUT (2 REQ.) |
| 149A | 1184706 | 149-200 | HEX NUT (2 REQ.) |
| | | | PAGE |

PAGE 3 OF 3