


• International® V Series
• International® II

International® Lever Drag



Penn Fishing Tackle Mfg. Co., 3028 West Hunting Park Avenue,
Philadelphia, PA 19132-1121, U.S.A.
Telephone: (215) 229-9415
FAX: (215) 223-3017
www.pennreels.com
406-INT04
11/05

HOW TO ORDER PENN REEL PARTS

1. Call the Penn Parts Department at (215) 229-9415 between 8:30 am and 4:30 pm U.S. East Coast time to order your Penn Parts over the telephone. Accepted means of payment include only the following credit cards: Mastercard, Visa, American Express, and Discover. COD, personal checks, or cash are not accepted.

2. Penn Parts may also be ordered through Penn's local dealer network. Check your telephone directory for a Penn Dealer near you, or visit Penn's website at www.pennreels.com to locate a nearby dealer.

Penn Fishing Tackle Mfg. Co. reserves the right to discontinue models and make changes in design specifications without notice. Penn's policy of ongoing research may necessitate design changes for Product performance improvement.

www.PENNparts.com


 **Scott's Bait & Tackle**

**Penn Parts Dept.
945 Radio Road
Tuckerton NJ 08087
(609) 296-1300**


**No Minimum Order!
Plus, Parts in stock
that Penn doesn't
carry anymore.**

INTERNATIONAL® CALL OUT FEATURES

INTERNATIONAL® V SERIES



INTERNATIONAL® II SERIES



INTERNATIONAL® V SERIES INTRODUCTION

International® V Series - The flagship of the Penn International® Lever Drag family of reels, the International® V series raises the gold standard for offshore anglers. The International® V reels offer the most advanced and reliable fish-fighting performance in the world, with an ergonomically designed, contoured, one-piece machined frame, and unbelievable cranking power and strength. Distinctive pure gold color separates Penn from the impostors.

- Machine-Cut, Heat-Treated Stainless Steel Main and Pinion Gears, and Drag Cam
- Powerful Double-Disc Drag with 150-Degree Drag Quadrant
- Graduated Push-to-Turn Preset
- One-Touch Shifting
- Aircraft-Grade, Sealed, Stainless Steel Ball Bearings
- Machined, Gold Anodized One-Piece Frame
- Forged & Machined Spool and Side Plates
- Stainless Steel Reel Stand



INTERNATIONAL® II SERIES INTRODUCTION

International® II Series - The Penn International® II series has established a time-honored reputation for taking tough, offshore game fish; and with countless world records, it is simply the reel of choice for serious offshore anglers. As you set out to break your own records and establish bragging rights back at the dock, do you really want to take chances with your selection of reels? With the Penn International® II, you can fish with the preferred reel of tournament winners there is an International® II reel perfect for all your big-game fishing needs. Distinctive pure gold color separates Penn from the impostors.

- Machine-Cut, Heat-Treated Stainless Steel Main and Pinion Gears, and Drag Cam
- Adjustable Pre-Set
- Machined, Gold Anodized One-Piece Frame
- Aircraft-Grade, Sealed, Stainless Steel Ball Bearings
- Stainless Steel Reel Stand
- Loud, Durable Clicker
- Forged and Machined Spool and Side Plates



INTERNATIONAL® DETAILED FEATURES

Penn's International® reels are strong and relatively simple to operate. Take a few moments to familiarize yourself with the operating controls and quality features listed below before using your Penn International® reel.

- **Machine-Cut, Heat-Treated Stainless Steel Main and Pinion Gears, and Drag Cam** - International reels feature specially tempered (hardened) stainless steel gears. Gears are the guts of any fishing reel, but especially so with lever drag reels. Penn's one piece pinion and main gears in the International reels are likely to never fail.

- **Penn Lever Drag** - Provides 150 degrees (120 on International® II) of drag adjustment, from free, with no drag pressure, to strike, where you strike and fight the fish, to full, which provides an extra few pounds of drag pressure when you need it. "Free" and "Strike" buttons serve as quick and easy reference points. A Strip-Drag feature is found on Penn International® V series reels, which helps eliminate back-lashes from overruns in freespool.

- **Powerful and Smooth Double-Disc Dura-Drag™** - International® V series and Two-Speed International® II series reels feature a double-disc drag system for increased fish-stopping power.

- **Graduated Push-to-Turn Preset** - The pre-set knob on the International® V series features a unique locking feature. To operate the locking pre-set knob, first push the knob in, then turn clockwise to increase drag, turn counter-clockwise to decrease drag. This feature eliminates drag pre-set fluctuation due to rough seas, engine vibrations, or tampering anglers.

- **Aircraft-Grade, Sealed, Stainless Steel Ball Bearings** - All International® models feature four sealed stainless steel ball bearings of the highest quality for smooth free spooling and retrieves.

- **Machined, Gold Anodized One-Piece Frame** - Over-designed in terms of strength, the machined, gold anodized one-piece frame of an International reel is built for landing world-record sized fish. Rich gold-anodizing, signature of the Penn International®, is not only impressive looking on the docks, but serves to protect the machined frame from the harsh marine environment. Distinctive pure gold color separates Penn from the impostors.

- **Forged & Machined Spool and Side Plates** - Penn's International® spools and side plates are forged, machined and gold anodized for strength and resistance to corrosion.

- **Penn Fighting Handle** - Designed for comfort through the longest battles, the Penn Fighting Handle automatically orients to a vertical position for fast, easy gripping.

- **Quick Shift** - International® V series reels feature an easy to operate, one-touch shift feature that automatically engages high or low gear with the push of a button or twist of a knob. Gears are instantly engaged, without the need to manipulate the handle position.

CARE AND LUBRICATION

Your Penn International® reel is quality manufactured for maximum durability. Like any other precision-made piece of equipment, reasonable care will ensure peak performance and longevity.

After each fishing trip, the reel should be cleaned with a soap solution and fresh water, preferably warm, to remove any accumulated salt deposits.

When washing the reel, use caution not to use a driving force of water, since the water pressure will force salt deposits and/or sand into the reel. A very fine spray will help dissolve the salt on the external parts of the reel and rinse from the reel.

Dry excess moisture from the reel and then sparingly lubricate all exposed areas. A good practice is to spray a rag with a pressurized spray lubricant and wipe down the reels with the rag. Your reel should be stored in a cool, dry place. Do not store in a plastic bag, as condensation may develop.

Periodically examine your reel and tighten loose screws and fittings. Depending upon use, your reel should be overhauled at least once every season.

Frictional points in the reel should be frequently lubricated, and for best results use Penn lubricant. Penn's tubes of lube are the right formula, designed specifically for Penn Reels. Keep in mind, that a few drops of oil is usually sufficient

Major points for external lubrication include: Clicker button, Handle knob (on 130 size this may require the removal of the handle knob screws), locating pins (strike and free).



PENN LIMITED WARRANTY

Penn Fishing Tackle Mfg. Co. warrants its Products to be free from defects in materials and workmanship for a period of one year from the date of purchase. This warranty does not cover damage or malfunctions caused by accident, abuse or normal expected wear. If your Penn Product has a defect within the terms of the warranty, you should return it to us at one of the Penn Warranty Centers indicated below. All shipping and insurance costs and transportation arrangements will be borne by you and are your responsibility. We will repair or replace the Product, at our option, without further cost to you, (including free return transportation and insurance). If however, the repair is not covered by the provisions of this warranty, your Penn Product will be repaired and returned to you a reasonable charge for labor, parts and return transportation and insurance.

ALL WARRANTIES WHICH MAY BE IMPLIED BY OPERATION OF LAW, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND WARRANTIES OF FITNESS FOR ANY PARTICULAR PURPOSE, SHALL BE LIMITED TO ONE YEAR FROM THE DATE OF PURCHASE. IN NO EVENT SHALL PENN FISHING TACKLE MFG. CO. BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF THIS WARRANTY OR ANY OTHER WARRANTY WHICH MAY BE IMPLIED BY LAW.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, AND SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION AND/OR EXCLUSION MAY NOT APPLY TO YOU.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Penn Fishing Tackle Mfg. Co. reserves the right to discontinue models and make changes in design specifications without notice. Penn's policy of ongoing research may necessitate design changes for Product performance improvement.

OUT OF SERVICE WARRANTY

For non-warranty service to your Penn reel, simply return the reel with a brief note describing the service you want performed. Available on the Penn website (www.pennreels.com) is a repair form that we suggest is completed and returned with each reel for more efficient processing. Penn strives to complete all repairs in a timely manner.

Penn will not initiate service until a means of payment is arranged. Accepted means of payment include only the following credit cards: Mastercard, Visa, American Express, and Discover. COD, personal checks, or cash are not accepted.